

Tool-Stor Trolley

Catalogue 2012/001

High Density TOOL-STOR Systems

Shop-Floor & Industrial Tool Storage Systems

Made Easy

By



To Increase Your Shop Floor Efficiency

Tool Storage Systems are designed to facilitate storage of tools, components & instruments in a convenient, organised & space efficient way to enhance efficiency on shop floor.

They are idealley suited for storing aircraft tools, chucking tools, CNC tools, composite tooling, cutting tools, end of arm tooling, machine tools, maintenance tools, roll forming tooling, well drilling tool, cnc press-brake, gauge tools, broach tools, etc.



Better, safer way
Easy, accessibility
Neat appearance
Efficient handling
Floor space saver
Increased profits
Tailored to your needs
Search time eliminated

Tool Trolley (650mm W. X 450mm D.) Medium duty range

Standard Colour 5012 7035 7032 7000 3001 9004

Standard examples:



1 drawer

Ord. no. MT 650450 1001

Cabinet with drawers & shelve
75X1 Plain drawers
PU wheel 100mm dia. X 38 thk.
(2-fix, 2-brake)
Drawer Full Extension 100%
with ball-bearing slides
Usable drawer dimensions :
525mm W x 350mm D
Each drawer load cap.:
75 mm 25kg. UDL
Dim. 650W X 450D X 900H



2 drawer

Ord. no. MT 650450 1002

Cabinet with drawers & shelve
75X1, 100X1 Plain drawers
PU wheel 100mm dia. X 38 thk.
(2-fix, 2-brake)
Drawer Full Extension 100%
with ball-bearing slides
Usable drawer dimensions :
525mm W x 350mm D
Each drawer load cap.:
75 and 100mm 25kg. UDL
Dim. 650W X 450D X 900H



3 drawer

Ord. no. MT 650450 1003

Cabinet with drawers & shelve
75x1, 100X1, 150X1 Plain drawers
PU wheel 100mm dia. X 38 thk.
(2-fix, 2-brake)
Drawer Full Extension 100%
with ball-bearing slides
Usable drawer dimensions :
525mm W x 350mm D
Each drawer load cap.:
75 and 100mm 25kg. UDL
150mm 50kg. UDL
Dim. 650W X 450D X 900H



3 drawer

Ord. no. MT 650450 1004

Cabinet with drawers
75x1, 100X1, 150X1 Plain drawers
300mm H. compartment
PU wheel 100mm dia. X 38 thk.
(2-fix, 2-brake)
Drawer Full Extension 100%
with ball-bearing slides
Usable drawer dimensions :
525mm W x 350mm D
Each drawer load cap.:
75 and 100mm 25kg. UDL
150mm 50kg. UDL
Dim. 650W X 450D X 900H



6 drawer

Ord. No. MT 650450 1005

Cabinet with drawers
75x2, 100X2, 150X2 Plain drawers
PU wheel 100mm dia. X 38 thk.
(2-fix, 2-brake)
Drawer Full Extension 100%
with ball-bearing slides
Usable drawer dimensions :
525mm W x 350mm D
Each drawer load cap.:
75 and 100mm 25kg. UDL
150mm 50kg. UDL
Dim. 650W X 450D X 900H



7 drawer

Ord. No. MT 650450 1006

Cabinet with drawers
75x2, 100X4, 150X1 Plain drawers
PU wheel 100mm dia. X 38 thk.
(2-fix, 2-brake)
Drawer Full Extension 100%
with ball-bearing slides
Usable drawer dimensions :
525mm W x 350mm D
Each drawer load cap.:
75 and 100mm 25kg. UDL
150mm 50kg. UDL
Dim. 650W X 450D X 900H

Tool Trolley (575mm W. X 725mm D.) Heavy duty range

Standard Colour 5012 7035 7032 7000 9004



Drawer configuration model:

- Ord. no. TT 575725 1001 75X2, 150X1 Drawers
- Ord. no. TT 575725 1001 A 100X1, 200X1 Drawer
- Ord. no. TT 575725 1001 B 150X2 Drawer
- Ord. no. TT 575725 1001 C 100X3 Drawer

Cabinet with drawers and PU wheel
100mm dia. X 38 thk. (2-fix, 2-brake)
Drawer Normal Extension 85%
Usable drawer dimensions :
450mm W x 600mm D
Each drawer load cap. 100kg. UDL
Dim. 575W X 725D X 850H



Drawer configuration model:

- Ord. No. TT 575725 1002 100X6 Drawers
- Ord. No. TT 575725 1002 A 75X2, 100X3, 150X1 Drawers
- Ord. No. TT 575725 1002 B 100X3, 150X2 Drawers
- Ord. No. TT 575725 1002 C 100X4, 200X1 Drawers
- Ord. No. TT 575725 1002 D 100X2, 150X2, 250X1 Drawers

Cabinet with drawers and PU wheel
100mm dia. X 38 thk. (2-fix, 2-brake)
Drawer Normal Extension 85%
Usable drawer dimensions :
450mm W x 600mm D
Each drawer load cap. 100kg. UDL
Dim. 575W X 725D X 850H

Drawer layout page no. - 07

Standard examples:

Option:

Overhead perforated panel
575W. X 430 H.



Ord. no. TTACC 1001

Standard Hook:

- Single hook: **5no.**
- Double hook: **2no.**
- Screw driver/File hook: (5 screw driver) **1no.**
- Plier hook: **2no.**
- Plastic bin hook: (with bins) **1no.**
- SB-2 100 W. X 175 D. X 85 H. - **4no.**

Option:

Overhead magnetic board with duster & Marker pen
575W. X 430 H.



Ord. no. TTACC 1002

Option:

Overhead soft board
575W. X 430 H.



Ord. no. TTACC 1003

Tool Trolley (1025mm W. X 725mm D.) **Heavy duty range**

Standard Colour  5012  7035  7032  7000  9004

Standard examples:



Ord. No. TT 1025725 1001

Cabinet with **100mm H. drawers-2no.**
 PU wheel 150mm dia. X 38 thk. (2-fix, 2-brake)
 Drawer Normal Extension 85%
 Usable drawer dimensions :
 450mm W x 600mm D
 Each drawer load cap. **100kg. UDL**
 575mm W x 725mm D x 400mm H
 Close compartment (R)
 575mm W x 725mm D x 700mm H
 open compartment with shelf (L)
 Dim. 1025W X 725D X 900H




Ord. No. TT 1025725 1002

Cabinet with **100mm H. drawers-2no.**
 PU wheel 150mm dia. X 38 thk. (2-fix, 2-brake)
 Drawer Normal Extension 85%
 Usable drawer dimensions :
 450mm W x 600mm D
 Each drawer load cap. **100kg. UDL**
 575mm W x 725mm D x 400mm H
 Close compartment (R)
 575mm W x 725mm D x 700mm H
 close compartment with shelf (L)
 Dim. 1025W X 725D X 900H

Drawer layout page no. - 07

Option: Overhead perforated panel



Ord. no. ACC 1001

Including:
 950mm W. X 430mm H. Perforated Panel
 950mm W. X 200mm D. Shelf

Standard Hook:

Single hook: **15no.**
 Double hook: **5no.**
 Fix spanner hook: (8/9 to 20/22mm) **1no.**
 Screw driver hook: (5 screw driver) **1no.**
 File/Scrapper hook: (5 file) **1no.**
 Plier hook: **4no.**
 Plastic bin hook: (with bins) **1no.**
 SB-2 100 W. X 175 D. X 85 H. - **4no.**

Example



Option: Overhead perforated panel



Ord. no. ACC 1002

Including:
 900mm H. X 225mm D.
 Cupboard with clear view door
 950mm W. X 860mm H.
 Perforated Panel

Standard Hook:

Single hook: **15no.**
 Double hook: **5no.**
 Fix spanner hook: (8/9 to 20/22mm) **1no.**
 Screw driver hook: (5 screw driver) **1no.**
 File/Scrapper hook: (5 file) **1no.**
 Plier hook: **4no.**
 Plastic bin hook: (with bins) **1no.**
 SB-2 100 W. X 175 D. X 85 H. - **4no.**

Option:



Ord. no. ACC. 1003

38mm thk. Wood



Option:



Ord. no. ACC. 1004

38mm thk. Wood
 Worktop covered with a
 1.6 mm thk. S.S. sheet.

Tool Trolley (1025mm W. X 725mm D.) **Heavy duty range**

Standard Colour  5012  7035  7032  7000  9004



Cabinet with drawers and PU wheel 150mm dia. X 38 thk. (2-fix, 2-brake)
 Drawer Normal Extension 85%
 Usable drawer dimensions :
 450mm W x 600mm D
 Each drawer load cap. **100kg. UDL**
 575mm W x 725mm D x 700mm H
 open compartment with shelf (L)
Dim. 1025W X 725D X 900H


Drawer configuration model:

Ord. No. TT 1025725 1003	100X2, 200X2 Drawers
Ord. No. TT 1025725 1003 A	100X6 Drawers
Ord. No. TT 1025725 1003 B	150X4 Drawers
Ord. No. TT 1025725 1003 C	200X3 Drawers
Ord. No. TT 1025725 1003 D	75X2, 100X3, 150X1 Drawers
Ord. No. TT 1025725 1003 E	100X3, 150X2 Drawers
Ord. No. TT 1025725 1003 F	100X4, 200X1 Drawers
Ord. No. TT 1025725 1003 G	100X2, 150X2, 250X1 Drawers
Ord. No. TT 1025725 1003 H	75X2, 100X1, 150X1, 200X1 Drawers

Standard examples:

Drawer layout page no. - 07

Option: Overhead perforated panel



Ord. no. ACC 1001

Including:
 950mm W. X 430mm H. Perforated Panel
 950mm W. X 200mm D. Shelf

Standard Hook:

Single hook: **15no.**
 Double hook: **5no.**
 Fix spanner hook: (8/9 to 20/22mm) **1no.**
 Screw driver hook: (5 screw driver) **1no.**
 File/Scrapper hook: (5 file) **1no.**
 Plier hook: **4no.**
 Plastic bin hook: (with bins) **1no.**
 SB-2 100 W. X 175 D. X 85 H. - **4no.**

Example



Option: Overhead perforated panel



Ord. no. ACC 1002

Including:
 900mm H. X 225mm D.
 Cupboard with clear view door

950mm W. X 860mm H.
 Perforated Panel

Standard Hook:

Single hook: **15no.**
 Double hook: **5no.**
 Fix spanner hook: (8/9 to 20/22mm) **1no.**
 Screw driver hook: (5 screw driver) **1no.**
 File/Scrapper hook: (5 file) **1no.**
 Plier hook: **4no.**
 Plastic bin hook: (with bins) **1no.**
 SB-2 100 W. X 175 D. X 85 H. - **4no.**

Option:



Ord. no. ACC. 1003

38mm thk. Wood

Option:



Ord. no. ACC. 1004

38mm thk. Wood
 Worktop covered with a
 1.6 mm thk. S.S. sheet.

Tool Trolley (1025mm W. X 725mm D.) **Heavy duty range**

Standard Colour  5012  7035  7032  7000  9004



Cabinet with drawers and PU wheel 150mm dia. X 38 thk. (2-fix, 2-brake)
 Drawer Normal Extension 85%
 Usable drawer dimensions :
 450mm W x 600mm D
 Each drawer load cap. **100kg. UDL**
 575mm W x 725mm D x 700mm H
 close compartment with shelf (L)
Dim. 1025W X 725D X 900H


Drawer configuration model:

Ord. No. TT 1025725 1004	100X2, 200X2 Drawers
Ord. No. TT 1025725 1004 A	100X6 Drawers
Ord. No. TT 1025725 1004 B	150X4 Drawers
Ord. No. TT 1025725 1004 C	200X3 Drawers
Ord. No. TT 1025725 1004 D	75X2, 100X3, 150X1 Drawers
Ord. No. TT 1025725 1004 E	100X3, 150X2 Drawers
Ord. No. TT 1025725 1004 F	100X4, 200X1 Drawers
Ord. No. TT 1025725 1004 G	100X2, 150X2, 250X1 Drawers
Ord. No. TT 1025725 1004 H	75X2, 100X1, 150X1, 200X1 Drawers

Standard examples:

Drawer layout page no. - 07

Option: Overhead perforated panel



Ord. no. ACC 1001

Including:
 950mm W. X 430mm H. Perforated Panel
 950mm W. X 200mm D. Shelf

Standard Hook:

Single hook: **15no.**
 Double hook: **5no.**
 Fix spanner hook: (8/9 to 20/22mm) **1no.**
 Screw driver hook: (5 screw driver) **1no.**
 File/Scrapper hook: (5 file) **1no.**
 Plier hook: **4no.**
 Plastic bin hook: (with bins) **1no.**
 SB-2 100 W. X 175 D. X 85 H. - **4no.**

Example



Option: Overhead perforated panel



Ord. no. ACC 1002

Including:
 900mm H. X 225mm D.
 Cupboard with clear view door
 950mm W. X 860mm H.
 Perforated Panel

Standard Hook:

Single hook: **15no.**
 Double hook: **5no.**
 Fix spanner hook: (8/9 to 20/22mm) **1no.**
 Screw driver hook: (5 screw driver) **1no.**
 File/Scrapper hook: (5 file) **1no.**
 Plier hook: **4no.**
 Plastic bin hook: (with bins) **1no.**
 SB-2 100 W. X 175 D. X 85 H. - **4no.**

Option:



Ord. no. ACC. 1003

38mm thk. Wood

Option:



Ord. no. ACC. 1004

38mm thk. Wood
 Worktop covered with a
 1.6 mm thk. S.S. sheet.

Drawer layout

Standard Colour



5012



7035



7032



7000




9004

Drawers Layout for 75 to 200mm H. Drawers


Standard examples:

Slotted partition



Adjustable and Removable divider


Slotted partition



Adjustable and Removable divider

Ord. No. Layout-1

225W X 600D-1no.
225W X 200D-3no.
Each Compartment




Ord. No. Layout-2

225W X 200D-6no.
Each Compartment



Ord. No. Layout-3

150W X 600D-2no.
150W X 200D-3no.
Each Compartment



Ord. No. Layout-4

150W X 600D-1no.
150W X 200D-6no.
Each Compartment




Ord. No. Layout-5

150W X 200D-9no.
Each Compartment




Ord. No. Layout-6

150W X 200D-12no.
Each Compartment




Plastic container only for 75 & 100mm H. Drawers

Ord. No. Layout-P1




82W.X82D.X55H.
30no.
Plastic container
in each drawer

Ord. No. Layout-P2




82W.X170D.X55H.
15no.
Plastic container
in each drawer

Ord. No. Layout-P3




82W.X255D.X55H.
10no.
Plastic container
in each drawer

Ord. No. Layout-P4




82W.X82D.X55H.
10no.
82W.X170D.X55H.
10no.
Plastic container
in each drawer

Ord. No. Layout-P5



82W.X82D.X55H.
15no.
82W.X255D.X55H.
5no.
Plastic container
in each drawer

Ord. No. Layout-P6



82W.X82D.X55H.
5no.
82W.X170D.X55H.
5no.
82W.X255D.X55H.
5no.
Plastic container
in each drawer

Industrial Trolley

Medium duty range

Standard Colour



5012



7035



7032



7000



9004



Ord. no. MT 900625 1001

Modular Trolley with **100X1 drawer and 2 Shelf**
with 100mm dia. X 38 thk.(2-fix, 2-brake)
Drawer Normal Extension 85%
Each drawer load cap. **70kg. UDL**
Usable drawer dimensions :
450mm W x 550mm D
Shelf 600W X 900D load cap. 100kg.
Dim. 900W X 625D X 900H



Ord. no. MT 900625 1002

Modular Trolley with **2 Shelf**
with 100mm dia. X 38 thk.(2-fix, 2-brake)
Shelf 900W X 600D load cap. 200kg.
Dim. 900W X 625D X 900H



Ord. no. MT 900625 1003

Modular Trolley with **3 Shelf**
with 100mm dia. X 38 thk.(2-fix, 2-brake)
Shelf 900W X 600D load cap. 200kg.
Dim. 900W X 625D X 900H



Ord. no. MT 900625 1004

Modular Trolley with **2 Shelf**
350mm H. Close compartment
with 100mm dia. X 38 thk.(2-fix, 2-brake)
Load capacity: 200 Kg.
Shelf 900W X 600D load cap. 70kg.
Dim. 900W X 625D X 900H



Ord. no. MT 900625 1005

Modular Trolley with **1 Shelf**
700mm H. Close compartment
with 100mm dia. X 38 thk.(2-fix, 2-brake)
Load capacity: 200 Kg.
Shelf 900W X 600D load cap. 70kg.
Dim. 900W X 625D X 900H



Ord. No. MT 900625 1006

Scrap Trolley
with 150mm dia. X 38 thk.(2-fix, 2-brake)
Dim. 900W X 625D X 800H

Standard examples:

Industrial Trolley

Medium duty range

Standard Colour

5012

7035

7032

7000

9004



Ord. no. MT 900625 1009

Modular Trolley with **3 Shelf**
with 150mm dia. X 38 thk.(2-fix, 2-brake)
Shelf 900W X 600D load cap. 50kg.
Bottom/Shelve 19mm wood OR Metal
Dim. 900W X 625D X 1200H

Ord. no. MT 900625 1010

Modular Trolley with **5 Shelf**
with 150mm dia. X 38 thk.(2-fix, 2-brake)
Shelf 900W X 600D load cap. 50kg.
Bottom/Shelve 19mm wood OR Metal
Dim. 900W X 625D X 1800H

Ord. no. MT 900625 1013



Modular Trolley with **wire mesh**
with 150mm dia. X 38 thk.(2-fix, 2-brake)
load cap. 200kg.
Bottom 19mm wood OR Metal
Dim. 900W X 625D X 1000H

Ord. no. MT 900625 1013A



Ord. no. MT 900625 1011

Modular Trolley with **3 Shelf**
with 150mm dia. X 38 thk.(2-fix, 2-brake)
Shelf 900W X 600D load cap. 50kg.
Bottom/Shelve 19mm wood OR Metal
Dim. 900W X 625D X 1200H

Ord. no. MT 900625 1012

Modular Trolley with **5 Shelf**
with 150mm dia. X 38 thk.(2-fix, 2-brake)
Shelf 900W X 600D load cap. 50kg.
Bottom/Shelve 19mm wood OR Metal
Dim. 900W X 625D X 1800H

Ord. no. MT 900625 1014



Modular Trolley
with 150mm dia. X 38 thk.(2-fix, 2-brake)
load cap. 200kg.
Dim. 900W X 625D X 1000H

Ord. no. MT 900625 1014A



Perforated Panel Trolley Medium duty range

Standard Colour



5012



7035



7032



7000



9004

Standard examples:



Ord. no. PPT 6251600 1004

Perforated Panel Trolley with **1 Shelf**
with 100mm dia. X 38 thk.(2-fix, 2-brake)
Load capacity: 300 Kg.
Shelf 1000W X 600D load cap. 70kg. **(Bottom)**
970mm W. X 1290mm H. Perforated Panel **(Front Side)**
970mm W. X 1290mm H. Perforated Panel **(Back Side)**
Single hook: **30 no.**, Double hook: **10 no.**
Fix spanner hook: **1 no.**, Screw driver hook: **1 no.**
Prong hook: **1 no.** [misc. Hanging]
Dim. 1025W X 625D X 1600H



Ord. no. PPT 6251600 1005

Perforated Panel Trolley with **1 Shelf**
with 100mm dia. X 38 thk.(2-fix, 2-brake)
Load capacity: 300 Kg.
Shelf 1000W X 600D load cap. 70kg. **(Bottom)**
970mm W. X 860mm H. Perforated Panel **(Front Side)**
970mm W. X 860mm H. Perforated Panel **(Back Side)**
Single hook: **20 no.**, Double hook: **10 no.**
Fix spanner hook: **1 no.**, Screw driver hook: **1 no.**
Prong hook: **1 no.** [misc. Hanging]
Plastic Bin:
Bull-15 125 W X 100 H X 200 D
(24 no. Front Side & 24 no. Back Side)
Dim. 1025W X 625D X 1600H



Ord. no. PPT 6251600 1006

Perforated Panel Trolley with **1 Shelf**
with 100mm dia. X 38 thk.(2-fix, 2-brake)
Load capacity: 300 Kg.
Shelf 1000W X 600D load cap. 70kg. **(Bottom)**
970mm W. X 860mm H. Perforated Panel **(Front Side)**
970mm W. X 860mm H. Perforated Panel **(Back Side)**
Single hook: **20 no.**, Double hook: **10 no.**
Fix spanner hook: **1 no.**, Screw driver hook: **1 no.**
Prong hook: **1 no.** [misc. Hanging]
Plastic Bin:
Bull-15 125 W X 100 H X 200 D
(6 no. Front Side & 6 no. Back Side)
Bull-25 150 W X 125 H X 230 D
(8 no. Front Side & 8 no. Back Side)
Dim. 1025W X 625D X 1600H



Ord. no. PPT 6251600 1007

Perforated Panel Trolley with **1 Shelf**
with 100mm dia. X 38 thk.(2-fix, 2-brake)
Load capacity: 300 Kg.
Shelf 1000W X 600D load cap. 70kg. **(Bottom)**
970mm W. X 860mm H. Perforated Panel **(Front Side)**
970mm W. X 860mm H. Perforated Panel **(Back Side)**
Single hook: **20 no.**, Double hook: **10 no.**
Fix spanner hook: **1 no.**, Screw driver hook: **1 no.**
Prong hook: **1 no.** [misc. Hanging]
Plastic Bin:
Bull-35 210 W X 160 H X 300 D
(12 no. Front Side & 12 no. Back Side)
Dim. 1025W X 625D X 1600H



RK STEEL SMITH

RK STEEL SMITH

RK STEEL SMITH

RK STEEL SMITH

RK STEEL SMITH

Manufacturers & Marketed by:



Unit-1
163 Bileshwar Indl. Estate
OPP: G.V.M.M.,
Odhav-Kathwada Road,
Ahmedabad-382410

Unit-2
Himmatnagar (gujarat)

MOB: 09428135100
MOB: 09825300059

Email: rksteelsmith@yahoo.com
rksteelsmith@gmail.com
info@rksteelsmith.com

Web: www.rksteelsmith.com