

Tool-Stor Cabinet [625mm Depth]

Catalogue 2012/003

High Density TOOL-STOR Systems

Shop-Floor & Industrial Tool Storage Systems

Made Easy

By



To Increase Your Shop Floor Efficiency

Tool Storage Systems are designed to facilitate storage of tools, components & instruments in a convenient, organised & space efficient way to enhance efficiency on shop floor.

They are idealley suited for storing aircraft tools, chucking tools, CNC tools, composite tooling, cutting tools, end of arm tooling, machine tools, maintenance tools, roll forming tooling, well drilling tool, cnc press-brake, gauge tools, broach tools, etc.



- Better, safer way
- Easy, accessibility
- Neat appearance
- Efficient handling
- Floor space saver
- Increased profits
- Tailored to your needs
- Search time eliminated

Cabinet Features and Benefits

Standard Colour

5012


7035

7032

7000

R K Steel Smith drawer cabinets come in a wide range of sizes and selections. Additionally, a wide variety of drawer partitions and plastic accessories enable you to further enhance the drawer space.

R K Steel Smith Systematic Workspace Products are manufactured using premium material and precision equipment. Our manufacturing skill, workmanship and powder-coat finishing ensure our products are of the highest quality and will provide years of service to our customers.



Tool Cabinet (1025mm W. X 800/1000mm H. X 625mm D.)

Standard Colour



5012



7035



7032



7000

Standard examples:



Drawer configuration model:

Ord. No. TC 1025800 1001	100X7 Drawers
Ord. No. TC 1025800 1002	100X1, 150X4 Drawers
Ord. No. TC 1025800 1003	75X2, 100X4, 150X1 Drawers
Ord. No. TC 1025800 1004	100X4, 150X2 Drawers
Ord. No. TC 1025800 1005	100X5, 200X1 Drawers
Ord. No. TC 1025800 1006	75X2, 100X2, 150X1, 200X1 Drawers

Cabinet with drawers
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Each drawer load cap. 80kg. UDL
Dim. 1025W X 625D X 800H



Drawer configuration model:

Ord. No. TC 10251000 1001	100X9 Drawers
Ord. No. TC 10251000 1002	100X3, 150X4 Drawers
Ord. No. TC 10251000 1003	75X2, 100X6, 150X1 Drawers
Ord. No. TC 10251000 1004	100X6, 150X2 Drawers
Ord. No. TC 10251000 1005	100X7, 200X1 Drawers
Ord. No. TC 10251000 1006	75X2, 100X3, 150X1, 200X1 Drawers


Cabinet with drawers
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Each drawer load cap. 80kg. UDL
Dim. 1025W X 625D X 1000H

Heavy duty range

Overhead perforated panel

Ord. no. WSP 1025A

970mm W. X 430mm H.
Perforated Panel



Standard Hook:

Single hook: 10 no.,
Double hook: 5 no.
Screw driver hook: 1 no.
Ring spanner hook:
(8/9 to 20/22mm) 1no
Screw driver hook:
(5 screw driver) 1no.
File/Scrapper hook: (5 file) 1no.

Ord. no. WSP 1025B

970mm W. X 860mm H.
Perforated Panel



Standard Hook:

Single hook: 20 no.,
Double hook: 5 no.
Fix spanner hook: 1 no.,
Screw driver hook: 1 no.
Ring spanner hook:
(8/9 to 20/22mm) 1no
Screw driver hook:
(5 screw driver) 1no.
File/Scrapper hook: (5 file) 1no.
Plastic bin hook: (with bins) 1no.
SB-2 100 W.X175 D.X85 H. - 4no.


Option:



38mm thk. Wood

Ord. no. ACC. 1003

Option:



38mm thk. Wood
Worktop covered with a
1.6 mm thk. S.S. sheet.

Ord. no. ACC. 1004

Tool Cabinet (1025mm W. X 1500mm H. X 625mm D.)

Standard Colour

5012

7035

7032

7000



Drawer configuration model:

- Ord. No. TC 10251500 1001 100X7 Drawers
- Ord. No. TC 10251500 1002 100X1, 150X4 Drawers
- Ord. No. TC 10251500 1003 75X2, 100X4, 150X1 Drawers
- Ord. No. TC 10251500 1004 100X4, 150X2 Drawers
- Ord. No. TC 10251500 1005 100X5, 200X1 Drawers
- Ord. No. TC 10251500 1006 75X2, 100X2, 150X1, 200X1 Drawers

Cabinet with drawers and 2no. shelves
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Each drawer load cap. 80kg. UDL
Dim. 1025W X 625D X 1500H



Drawer configuration model:

- Ord. No. TC 10251500 1007 100X9 Drawers
- Ord. No. TC 10251500 1008 100X3, 150X4 Drawers
- Ord. No. TC 10251500 1009 75X2, 100X6, 150X1 Drawers
- Ord. No. TC 10251500 1010 100X6, 150X2 Drawers
- Ord. No. TC 10251500 1011 100X7, 200X1 Drawers
- Ord. No. TC 10251500 1012 75X2, 100X3, 150X1, 200X1 Drawers

Cabinet with drawers and 1no. shelves
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Each drawer load cap. 80kg. UDL
Dim. 1025W X 625D X 1500H

Standard examples:

Option:A
side wall perforated
450W X 1500H



Option:B
back wall perforated
1025W X 1500H



Heavy duty range

Tool Cabinet (1025mm W. X 2000mm H. X 625mm D.)

Standard Colour

5012

7035

7032

7000



Cabinet with drawers and **4 no. Shelf**
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Each drawer load cap. **80kg. UDL**
Each shelf load cap. **80kg. UDL**
Dim. 1025W X 625D X 2000H

Drawer configuration model:

Ord. No. TC 10252000 1001

100X3 drawers

Ord. No. TC 10252000 1002

150X2 drawers



Cabinet with drawers and **4 no. Shelf**
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Each drawer load cap. **80kg. UDL**
Each shelf load cap. **80kg. UDL**
Dim. 1025W X 625D X 2000H

Drawer configuration model:

Ord. No. TC 10252000 1003

100X5 drawers

Ord. No. TC 10252000 1004

100X2, 150X2 drawers

Option:A
side wall perforated
450W X 2000H



Option:B
back wall perforated
1025W X 2000H



Cabinet with drawers and **perfo. Panel**
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Perforated Panel 950W X 860H. Each bay
Each drawer load cap. **80kg. UDL**
Each shelf load cap. **80kg. UDL**
Dim. 1025W X 625D X 2000H


Drawer configuration model:

Ord. No. TC 10252000 1005

100X3 drawers

Ord. No. TC 10252000 1006

150X2 drawers



Cabinet with drawers and **perfo. Panel**
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Perforated Panel 950W X 860H. Each bay
Each drawer load cap. **80kg. UDL**
Each shelf load cap. **80kg. UDL**
Dim. 1025W X 625D X 2000H

Drawer configuration model:

Ord. No. TC 10252000 1007

100X5 drawers

Ord. No. TC 10252000 1008

100X2, 150X2 drawers

Standard examples:

Standard Hook:

- Single hook: **20 no.**,
- Double hook: **5 no.**
- Fix spanner hook: **1 no.**,
- Screw driver hook: **1 no.**
- Ring spanner hook:
(8/9 to 20/22mm) **1no**
- Screw driver hook:
(5 screw driver) **1no.**
- File/Scrapper hook: (5 file) **1no.**
- Plastic bin hook: (with bins) **1no.**
- SB-2 100 W.X175 D.X85 H. - **4no.**

Heavy duty range

Tool Cabinet (1025mm W. X 2000mm H. X 625mm D.)

Standard Colour

5012

7035

7032

7000



Cabinet with drawers and 5 no. Shelf
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Each drawer load cap. 80kg. UDL
Each shelf load cap. 80kg. UDL
Dim. 1025W X 625D X 2000H

Drawer configuration model:

Ord. No. TC 10252000 1009

100X4 drawers

Ord. No. TC 10252000 1010

100X1, 150X2 drawers



Cabinet with drawers and 3 no. Shelf
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Each drawer load cap. 80kg. UDL
Each shelf load cap. 80kg. UDL
Dim. 1025W X 625D X 2000H

Drawer configuration model:

Ord. No. TC 10252000 1011

100X9 drawers

Ord. No. TC 10252000 1012

100X6, 150X2 drawers

Ord. No. TC 10252000 1013

100X3, 150X4 drawers

Option:A
side wall perforated
450W X 2000H



Option:B
back wall perforated
1025W X 2000H



Cabinet with drawers, 3no. Shelf and **perfo. Panel**
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Perforated Panel 950W X 860H. Each bay
Each drawer load cap. 80kg. UDL
Each shelf load cap. 80kg. UDL
Dim. 1025W X 625D X 2000H

Drawer configuration model:

Ord. No. TC 10252000 1014

100X4 drawers

Ord. No. TC 10252000 1015

100X1, 150X2 drawers



Cabinet with drawers and **perfo. Panel**
Drawer Normal Extension 85%
Usable drawer dimensions :
900mm W x 500mm D
Perforated Panel 950W X 860H. Each bay
Each drawer load cap. 80kg. UDL
Each shelf load cap. 80kg. UDL
Dim. 1025W X 625D X 2000H

Drawer configuration model:

Ord. No. TC 10252000 1016

100X9 drawers

Ord. No. TC 10252000 1017

100X6, 150X2 drawers

Ord. No. TC 10252000 1018

100X3, 150X4 drawers

Standard examples:

Standard Hook:

Single hook: 20 no.,
Double hook: 5 no.,
Fix spanner hook: 1 no.,
Screw driver hook: 1 no.,
Ring spanner hook:
(8/9 to 20/22mm) 1no
Screw driver hook:
(5 screw driver) 1no.
File/Scrapper hook: (5 file) 1no.
Plastic bin hook: (with bins) 1no.
SB-2 100 W.X175 D.X85 H. - 4no.

Heavy duty range

Drawer layout

Standard Colour 5012

7035

7032


7000

Standard examples:

Drawers Layout for 100 to 200mm H. Drawers


Ord. No. Layout-1

900W X 150D-1no.
225W X 150D-8no.
Each compartment




Ord. No. Layout-2

225W X 150D-12no.
Each compartment




Ord. No. Layout-3

150W X 500D-3no.
150W X 150D-9no.
Each compartment




Ord. No. Layout-4

150W X 150D-18no.
Each compartment




Slotted partition



Adustable
and
Removable
divider

Slotted partition




Adustable
and
Removable
divider

Plastic container only for 100mm H. Drawers


Ord. No. Layout-P1

82W.X82D.X55H.
60no.
Plastic container
in each drawer




Ord. No. Layout-P2

82W.X170D.X55H.
30no.
Plastic container
in each drawer




Ord. No. Layout-P3

82W.X255D.X55H.
20no.
Plastic container
in each drawer



Ord. No. Layout-P4

82W.X82D.X55H.
10no.
82W.X170D.X55H.
10no.
82W.X255D.X55H.
10no.
Plastic container
in each drawer



Manufacturers & Marketed by:



Unit-1
163 Bileshwar Indl. Estate
OPP: G.V.M.M.,
Odhav-Kathwada Road,
Ahmedabad-382410

Unit-2
Himmatnagar (gujarat)

MOB: 09428135100
MOB: 09825300059

Email: rksteelsmith@yahoo.com
rksteelsmith@gmail.com
info@rksteelsmith.com

Web: www.rksteelsmith.com