

# Tool-Stor Cupboard

Catalogue 2012/004

## High Density TOOL-STOR Systems

Shop-Floor & Industrial Tool Storage Systems

Made Easy

By



To Increase Your Shop Floor Efficiency

Tool Storage Systems are designed to facilitate storage of tools, components & instruments in a convenient, organised & space efficient way to enhance efficiency on shop floor.

They are idealley suited for storing aircraft tools, chucking tools, CNC tools, composite tooling, cuttng tools, end of arm tooling, machine tools, maintenance tools, roll forming tooling, well drilling tool, cnc press-brake, gauge tools, broach tools, etc.




**B**etter, safer way  
**E**asy, accessibility  
**N**eat appearance  
**E**fficient handling  
**F**loor space saver  
**I**ncreased profits  
**T**ailored to your needs  
**S**earch time eliminated

# Perforated Panels Tool Rack Heavy duty range


Standard Colour  5012  7035  7032  7000

Standard examples:



### Standard Hook (Single side)

- Single hook: **25no.**
- Double hook: **10no.**
- Fix spanner hook: (8/9 to 20/22mm) **1no.**
- Ring spanner hook: (8/9 to 20/22mm) **1no.**
- Box spanner hook: (10 to 32mm) **1no.**
- Screw driver hook: (5 screw driver) **1no.**
- File/Scraper hook: (5 file) **1no.**
- Allen key box tray: **1no.**
- Drill bit stand: (1 to 13mm) **1no.**
- Plier hook: **8no.**
- Hand drill machine: (1 to 13mm) **1no.**
- Angle grinder machine: (100mm) **1no.**
- Oil can hook: **1no.**
- Plastic bin hook: (with bins) **1no.**
- SB-2 100 W. X 175 D. X 85 H. - **4no.**
- Shelve: 800 W. X 200 D. - **1no**



### Standard Hook (Double side)

- Single hook: **50no.**
- Double hook: **20no.**
- Fix spanner hook: (8/9 to 20/22mm) **2no.**
- Ring spanner hook: (8/9 to 20/22mm) **2no.**
- Box spanner hook: (10 to 32mm) **2no.**
- Screw driver hook: (5 screw driver) **2no.**
- File/Scraper hook: (5 file) **2no.**
- Allen key box tray: **2no.**
- Drill bit stand: (1 to 13mm) **2no.**
- Plier hook: **16no.**
- Hand drill machine: (1 to 13mm) **2no.**
- Angle grinder machine: (100mm) **2no.**
- Oil can hook: **2no.**
- Plastic bin hook: (with bins) **2no.**
- SB-2 100 W. X 175 D. X 85 H. - **8no.**
- Shelve: 800 W. X 200 D. - **2no**

**Ord. no. PTC 10251800 2002**

# Perforated Panels Tool Rack Heavy duty range

Standard Colour  5012  7035  7032  7000

Standard examples:

**Ord. no. PPR 10251800 1003** 950mm W. X 1290mm H. Perforated Panel (Single Bay Front Side)

**Ord. no. PPR 10251800 1004** 950mm W. X 1290mm H. Perforated Panel (Single Bay Double Side)

1025mm wide,  
1800mm height  
(single bay)



Perforated panel  
Add-on bush


Tools and boxes  
excluded

## Standard Hook (Each Bay- Single side)


- Single hook: **15no.**
- Double hook: **10no.**
- Fix spanner hook: (8/9 to 20/22mm) **1no.**
- Ring spanner hook: (8/9 to 20/22mm) **1no.**
- Box spanner hook: (10 to 32mm) **1no.**
- Screw driver hook: (5 screw driver) **1no.**
- File/Scraper hook: (5 file) **1no.**
- Allen key box tray: **1no.**
- Drill bit stand: (1 to 13mm) **1no.**
- Plier hook: **8no.**
- Hand drill machine: (1 to 13mm) **1no.**
- Angle grinder machine: (100mm) **1no.**
- Angle grinder machine: (175mm) **1no.**
- Oil can hook: **1no.**
- Plastic bin hook: (with bins) **1no.**
- SB-2 100 W. X 175 D. X 85 H. - **4no**
- Shelve: 800 W. X 200 D. - **1no**




## Examples of installations




**A**  
2 stand




**B**  
3 stand




**C**  
4 stand



**D**  
4 stand



**E**  
5 stand



**F**  
3 stand

# Tool Cupboard

Heavy duty range

Standard Colour

5012

7035

7032

7000

Standard examples:



Dim. 1025W X 600D X 1900H

Ord. no. PTC 10251900 1001

Cabinet with 100mm H. 3no. Drawer,  
2 no. Shelf 500mm depth  
Drawer Normal Extension 85%  
Usable drawer dimensions :  
900mm W x 450mm D  
Each drawer load cap. 70kg. UDL  
Each shelf load cap. 70kg. UDL  
Perforated panels area:  
950 W. X 860 H. Front (Front side)  
300 W. X 1450 H. Door (Both side-door)

**Standard Hook:**

Single hook: 20no.  
Double hook: 10no.  
Fix spanner hook: (8/9 to 20/22mm) 1no.  
Ring spanner hook: (8/9 to 20/22mm) 1no.  
Screw driver hook: (5 screw driver) 1no.  
File/Scrapper hook: (5 file) 1no.  
Allen key box tray: 1no.  
Plier hook: 4no.  
Plastic bin hook: (with bins) 1no.  
SB-2 100 W. X 175 D. X 85 H. - 4no.



Dim. 1025W X 600D X 1900H

Ord. no. PTC 10251900 1001A

Cabinet with 100mm H. 3no. Drawer,  
2 no. Shelf 500mm depth  
Drawer Normal Extension 85%  
Usable drawer dimensions :  
900mm W x 450mm D  
Each drawer load cap. 70kg. UDL  
Each shelf load cap. 70kg. UDL  
Perforated panels area:  
950 W. X 860 H. Front (Front side)  
300 W. X 1450 H. Door (Both side-door)

**Standard Hook:**

Single hook: 20no.  
Double hook: 10no.  
Fix spanner hook: (8/9 to 20/22mm) 1no.  
Ring spanner hook: (8/9 to 20/22mm) 1no.  
Screw driver hook: (5 screw driver) 1no.  
File/Scrapper hook: (5 file) 1no.  
Allen key box tray: 1no.  
Plier hook: 4no.  
**Door:** Plastic bin hook: (with bins) 8no.  
SB-2 100 W. X 175 D. X 85 H. - 16no.  
SB-1 95 W. X 120 D. X 60H. - 8no.



Dim. 1025W X 600D X 1900H

Ord. no. PTC 10251900 1002

Cabinet with 100mm H. 4no. Drawer,  
2 no. Shelf 500mm depth  
Drawer Normal Extension 85%  
Usable drawer dimensions :  
900mm W x 450mm D  
Each drawer load cap. 70kg. UDL  
Each shelf load cap. 70kg. UDL  
Perforated panels area:  
950 W. X 1290 H. Front (Front side)  
300 W. X 1450 H. Door (Both side-door)

**Standard Hook:**

Single hook: 25no.  
Double hook: 10no.  
Fix spanner hook: (8/9 to 20/22mm) 1no.  
Ring spanner hook: (8/9 to 20/22mm) 1no.  
Box spanner hook: (10 to 32mm) 1no.  
Screw driver hook: (5 screw driver) 1no.  
File/Scrapper hook: (5 file) 1no.  
Allen key box tray: 1no.  
Drill bit stand: (1 to 13mm) 1no.  
Plier hook: 4no.  
**Door:** Plastic bin hook: (with bins) 14no.  
SB-2 100 W. X 175 D. X 85 H. - 28no.  
SB-1 95 W. X 120 D. X 60H. - 14no.



Dim. 1025W X 600D X 1900H

Ord. no. PTC 10251900 1002A

Cabinet with 100mm H. 4no. Drawer,  
2 no. Shelf 500mm depth  
Drawer Normal Extension 85%  
Usable drawer dimensions :  
900mm W x 450mm D  
Each drawer load cap. 70kg. UDL  
Each shelf load cap. 70kg. UDL  
Perforated panels area:  
950 W. X 1290 H. Front (Front side)  
300 W. X 1450 H. Door (Both side-door)

**Standard Hook:**

Single hook: 25no.  
Double hook: 15no.  
Fix spanner hook: (8/9 to 20/22mm) 1no.  
Ring spanner hook: (8/9 to 20/22mm) 1no.  
Box spanner hook: (10 to 32mm) 1no.  
Screw driver hook: (5 screw driver) 1no.  
File/Scrapper hook: (5 file) 1no.  
Allen key box tray: 1no.  
Drill bit stand: (1 to 13mm) 1no.  
Plier hook: 4no.  
Plastic bin hook: (with bins) 1no.  
SB-2 100 W. X 175 D. X 85 H. - 4no.

# Tool Cupboard

Heavy duty range

Standard Colour

5012

7035

7032

7000

Standard examples:



Dim. 1025W X 600D X 1900H

Dim. 1025W X 600D X 1900H

Dim. 1025W X 600D X 1900H

Dim. 1025W X 600D X 1900H

Ord. no. PTC 10251900 1003

Ord. no. PTC 10251900 1003A

Ord. no. PTC 10251900 1004

Ord. no. PTC 10251900 1005

Cabinet with **1 no. Shelf 500mm depth**  
Each shelf load cap. 70kg. UDL  
Perforated panels area:  
950 W. X 860 H. Front (**Front side**)  
950 W. X 860 H. Front (**Bottom side**)  
300 W. X 1450 H. Door (**Both side-door**)

Cabinet with **1 no. Shelf 500mm depth**  
Each shelf load cap. 70kg. UDL  
Perforated panels area:  
950 W. X 860 H. Front (**Front side**)  
950 W. X 860 H. Front (**Bottom side**)  
300 W. X 1450 H. Door (**Both side-door**)

Cabinet **4 no. Shelf 300mm depth**  
Each shelf load cap. 70kg. UDL  
Perforated panels area:  
950 W. X 860 H. Front (**Front side**)  
300 W. X 1450 H. Door (**Both side-door**)  
Plastic bin for 4no.shelve:  
Bull -35: 208 W. X 158 H. X 300 D. **16no.**  
SB-3 130 W. X 230 D. X 125 H. - **4no.**

Cabinet **8 no. Shelf 300mm depth**  
Each shelf load cap. 70kg. UDL  
Perforated panels area:  
300 W. X 1450 H. Door (**Both side-door**)  
Plastic bin for 8no.shelve:  
Bull -35: 208 W. X 158 H. X 300 D. **36no.**  
SB-3 130 W. X 230 D. X 125 H. - **9no.**  
**Door:** Plastic bin hook: (with bins) **18no.**  
SB-1 95 W. X 120 D. X 60H. - **72no.**

**Standard Hook:**

Single hook: **25no.**  
Double hook: **15no.**  
Fix spanner hook: (8/9 to 20/22mm) **1no.**  
Ring spanner hook: (8/9 to 20/22mm) **1no.**  
Box spanner hook: (10 to 32mm) **1no.**  
Screw driver hook: (5 screw driver) **1no.**  
File/Scrapper hook: (5 file) **1no.**  
Allen key box tray: **1no.**  
Drill bit stand: (1 to 13mm) **1no.**  
Plastic bin hook: (with bins) **1no.**  
SB-1 95 W. X 120 D. X 60H. - **4no.**

**Standard Hook:**

Single hook: **25no.**  
Double hook: **15no.**  
Fix spanner hook: (8/9 to 20/22mm) **1no.**  
Ring spanner hook: (8/9 to 20/22mm) **1no.**  
Box spanner hook: (10 to 32mm) **1no.**  
Screw driver hook: (5 screw driver) **1no.**  
File/Scrapper hook: (5 file) **1no.**  
Allen key box tray: **1no.**  
Drill bit stand: (1 to 13mm) **1no.**  
**Door:** Plastic bin hook: (with bins) **8no.**  
SB-2 100 W. X 175 D. X 85 H. - **16no.**  
SB-1 95 W. X 120 D. X 60H. - **8no.**

**Standard Hook:**

Single hook: **20no.**  
Double hook: **10no.**  
Fix spanner hook: (8/9 to 20/22mm) **1no.**  
Ring spanner hook: (8/9 to 20/22mm) **1no.**  
Screw driver hook: (5 screw driver) **1no.**  
File/Scrapper hook: (5 file) **1no.**  
Allen key box tray: **1no.**  
Plier hook: **4no.**  
**Door:** Plastic bin hook: (with bins) **8no.**  
SB-2 100 W. X 175 D. X 85 H. - **16no.**  
SB-1 95 W. X 120 D. X 60H. - **8no.**

**Manufacturers & Marketed by:**



**Unit-1**  
163 Bileshwar Indl. Estate  
OPP: G.V.M.M.,  
Odhav-Kathwada Road,  
Ahmedabad-382410

**Unit-2**  
Himmatnagar (gujarat)

**MOB: 09428135100**  
**MOB: 09825300059**

**Email: [rksteelsmith@yahoo.com](mailto:rksteelsmith@yahoo.com)**  
**[rksteelsmith@gmail.com](mailto:rksteelsmith@gmail.com)**  
**[info@rksteelsmith.com](mailto:info@rksteelsmith.com)**

**Web: [www.rksteelsmith.com](http://www.rksteelsmith.com)**