

# **Industrial Vertical Drawer**

# Large amount of small parts

(Industrial Hardware A professional organization system)

### **Cabinet**

**PRODUCT RANGE** 

Minimum space requirements......
The tools are always ready-to-hand....... Maximum organization with



### The universal storage cabinet for all purposes





### INDEX



Safe, functional technology made in India

The RKSS tool cabinets of the VDC series assure maximum organization at minimum space requirements. Thanks to vertical drawers, the tools are always ready-to-hand.

The direct access to the tooling from both sides provides increased safety as reaching over the tools is eliminated.

Integrated transport notches allow the easy relocation of your tool cabinet by lift truck or cart when empty.



05 & 08

small parts Cabinet

1250mm H.



**Colour Option** 

09

## Secure, functional technology



#### Bulk trays – storage with high capacity and flexible division!






















Max. load capacity 900kg. each drawer



Relocation by pallet truck only use for empty cabinet



Drawers individually lockable



Both - sided access




Highest Capacity and reliable guidance the statements by idler wheels



Excerpts separately lockable and with easy to identify labeling field




Direct access to the tooling from both sides provides increased safety as reaching over the tools is eliminated.






Direct access to the tooling from both sides provides increased safety as reaching over the tools is eliminated.





Direct access to the tooling from both sides provides increased safety as reaching over the tools is eliminated.












150






Direct access to the tooling from both sides provides increased safety as reaching over the tools is eliminated.



8no. shelve X 1no. drawer Total: 8no. shelve X 3 Drawer = 24 shelves. 8no. shelve X 1no. drawer Total: 8no. shelve X 4 Drawer = 32 shelves.
















### **Standard Color option:**











Assembled components are transfer to pre-treatment plant for treating in 7 tank for degrees, zinc, phosphating and passivation.

Material received from pre-treatment department are immediately powder coated in the dust free painting booth and then the articles are put inside a baking oven at a temperature of 180°C for about 20 minutes.



- Plot- B/32 (Part-2) Bileshwar Indl. Estate, Opp. G.V.M.M., Odhav-Kathwada Road, Ahmedabad 382415 Gujarat (INDIA).
- +91 94 281 35 100 +91 98 253 00 059
- rksteelsmith@gmail.com info@rksteelsmith.com sales@rksteelsmith.com
- www.rksteelsmith.com